

POLYCAB

INNOVATIVE LIGHTING FOR BRIGHTER LIVING

Lighting Catalogue FY 2024-2025



ABOUT POLYCAB

Polycab India Limited (PIL) is India's largest manufacturer of Wires and Cables and one of the fastest growing FMEG companies with a consolidated turnover of **₹ 180+ Bn in FY24**. PIL is at the forefront of providing innovative, safe and energy efficient products to a diverse set of customers via a strong distribution network of **3,800+** authorized dealers and **205,000+** retail outlets. PIL's business operations span across India through **28** manufacturing facilities, **13 offices and 29 warehouses**. PIL has also served customers in **79** countries globally. PIL's **4,800+ employees** are dedicated to upholding robust governance practices, preserving a customer centric culture, having a purpose to serve the communities, and imbibing a genuine sense of ecological consciousness. For further information, please visit www.polycab.com.



INR 180+ Bn
turnover



13 offices
across India



205,000+
retail outlets



3,800+
dealers



WHY POLY CAB LIGHTING ?

INNOVATING QUALITY,
DELIVERING EXCELLENCE!

• **PRODUCT QUALITY:**

- In-house product testing via two fully equipped NABL approved electronics R&D laboratories
- Highly experienced R&D personnel with expertise in lighting electronics for local, US/European and military grade specifications
- Kaizen & TQM methodologies implemented for production processes enhancement

• **INNOVATION FOCUS:**

- Robust R&D initiatives to drive product innovation
- Development of electronically advanced LED Lights with high end technology
- Emphasis on designing decorative LED Lights with superior aesthetic appeal



- **MANUFACTURING & AVAILABILITY:**

- a. Investment in in-house manufacturing with respect to capacity, automation, and backward integration of manufacturing processes like plastic moulding, pressure die-casting & automatic powder coating
- b. Fully automatic, multiple state-of-art SMT manufacturing lines with automatic optical inspection and luminaire assembly lines
- c. In-house luminaire design capability with latest testing equipment like photo goniometer and many more

- **CUSTOMER SERVICE:**

- a. Unwavering commitment to delivering superior customer service through our large footprint of 450+ service centres and quick resolution

CONTENTS

01 ABOUT
POLYCAB 01

02 WHY POLYCAB
LIGHTING? 02

03 LED PANELS &
DOWNLIGHTS 05

04 LED COB &
SPOT LIGHTS 44

05 LED
BULBS 54

06 LED
BATTENS 68

07 LED ROPE &
STRIP LIGHTS 78

08 LED OUTDOOR
LIGHTS 88



LED PANELS & DOWNLIGHTS

Designed with finesse and care, explore our beautiful range of LED Panels and Downlights that add charm to your abode. With a distinct blend of unmatched functionality - the perfect beam angle, thin silhouette, and optimum brightness along with resplendent designs, these LED lights will help you manifest your dream home.

SCINTILLATE PC BACKLIT PANEL



SCINTILLATE PC BACKLIT PANEL

5W/8W/12W/15W/20W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

Infuse a dash of style in any setting! Available in round and square shapes, the Scintillate Backlit Panel is modern, and exceptionally beautiful!

FEATURES :

- Recess mounting backlit LED panel
- Polycarbonate housing & diffuser



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
5W	CW/NW/WW	∅ 116/116x116x36	∅ 100/100x100	80	500	20
8W	CW/NW/WW	∅ 116/116x116x36	∅ 100/100x100	100	600	20
12W	CW/NW/WW	∅ 166/166x166x36	∅ 150/150x150	100	850	20
15W	CW/NW/WW	∅ 166/166x166x36	∅ 150/150x150	100	1000	20
20W	CW/NW/WW	∅ 220/220x220x36	∅ 205/205x205	100	1350	20

*6500K/CW



SCINTILLATE LED PANEL 3-IN-1



SCINTILLATE LED PANEL 3-IN-1

8W/12W/15W/20W

COOL-NEUTRAL-WARM WHITE(3-IN-1)

3-IN-1 LED Panel that changes the ambience of your room to suit your mood. The three beautiful shades of white complement your room at different times of the day!

FEATURES :

- Recess mounting 3-IN-1 CCT LED panel
- CCTs can be changed by click of on/off switch
- Polycarbonate housing and diffuser



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
8W	CW-NW-WW	Ø 116/116x116x36	Ø 100/100x100	100	800	10
12W	CW-NW-WW	Ø 166/166x166x36	Ø 150/150x150	100	950	10
15W	CW-NW-WW	Ø 166/166x166x36	Ø 150/150x150	100	1150	10
20W	CW-NW-WW	Ø 220/220x220x36	Ø 205/205x205	100	1450	10

*6500K/CW



SCINTILLATE SLIM ALUMINIUM PANEL



SCINTILLATE SLIM ALUMINIUM PANEL

3W/6W/12W/15W/18W/22W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Recess mounting slim LED panel
- Powder coated PDC aluminium body and high quality LGP & PMMA diffuser



Extremely thin and gorgeous, Scintillate Slim Panel is an extra-ordinary work of engineering! Superior quality powder coating along with full aluminium body gives it a sleek and minimalistic look!

WATTS:	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW	∅ 90/90x90x30	∅ 77/77x77	60	450	10
6W	CW/NW/WW	∅ 120/120x120x30	∅ 107/107x107	60	550	10
12W	CW/NW/WW	∅ 150/150x150x30	∅ 135/135x135	70	750	10
15W	CW/NW/WW	∅ 170/170x170x30	∅ 156/156x156	75	950	10
18W	CW/NW/WW	∅ 200/200x200x30	∅ 185/185x185	75	1150	10
22W	CW/NW/WW	∅ 225/225x225x30	∅ 205/205x205	75	1350	10

*6500K/CW



SCINTILLATE PC EDGE LIT PANEL



SCINTILLATE PC EDGE LIT PANEL

3W/6W/12W/15W/18W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

Beautifully clasped within a strong polycarbonate body, Scintillate Edge Lit Panel is an excellent choice for modern spaces. Easy to install and maintain, this panel is an ideal choice for any setting!

FEATURES :

- Recess mounting PC Edge Lit LED panel
- Polycarbonate housing and PS diffuser



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW	Ø 90/90x90x30	Ø 65/65x65	50	395	20
6W	CW/NW/WW	Ø 120/120x120x30	Ø 100/100x100	60	550	20
12W	CW/NW/WW	Ø 170/170x170x30	Ø 150/150x150	70	950	20
15W	CW/NW/WW	Ø 170/170x170x30	Ø 150/150x150	75	1050	20
18W	CW/NW/WW	Ø 225/225x225x30	Ø 198/198x198	75	1450	20

*6500K/CW



SCINTILLATE SLIM SURFACE PANEL



SCINTILLATE SLIM SURFACE PANEL


6W/12W/15W/18W/22W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

Extremely thin and gorgeous, Scintillate Slim Panel is an extraordinary work of engineering! Superior quality PC body gives it a sleek and minimalistic look!

FEATURES :

- Instant start
- Energy efficient
- Indoor application



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
6W	CW/NW/WW	Ø 120/120x120x25	NA	80	650	20
12W	CW/NW/WW	Ø 170/170x170x25	NA	90	900	20
15W	CW/NW/WW	Ø 170/170x170x25	NA	90	1200	20
18W	CW/NW/WW	Ø 225/225x225x25	NA	90	1450	20
22W	CW/NW/WW	Ø 225/225x225x25	NA	90	1650	20

*6500K/CW



25k
Burning
Hours



>80
CRI



4kV
Surge
Protection



120°
Beam
Angle



Inbuilt
Driver



>0.9
Power
Factor

SCINTILLATE PC FRAMELESS PANEL



SCINTILLATE PC FRAMELESS PANEL

6W/12W/15W/18W/24W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/3-IN-1

FEATURES :

- Instant Start
- ABS housing & PC diffuser
- Energy efficient



Scintillate Frameless Panel can be fixed directly on ceilings with minimal effort! Extremely stylish in appearance, this is a great piece of adornment when you do not have false ceilings!

WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
6W	CW/NW/WW	∅ 90/90x90x27	NA	70	550	30
12W	CW/NW/WW	∅ 120/120x120x27	NA	65	800	20
15W	CW/NW/WW	∅ 155/155x155x27	NA	75	1000	20
NEW 15W	CW-NW-WW(3-IN-1)	∅ 155/155x155x27	NA	80	1100	20
18W	CW/NW/WW	∅ 155/155x155x27	NA	70	1250	20
24W	CW/NW/WW	∅ 190/190x190x27	NA	70	1500	20

*6500K/CW



SLIMGLO LED JUNCTION BOX DOWNLIGHT



SLIMGLO LED JUNCTION BOX DOWNLIGHT

3W/6W/12W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/AMBER
BLUE/GREEN/PINK/RED

FEATURES :

- Instant start
- ABS housing & PC diffuser
- Energy efficient



12W COOL WHITE

3W/6W COOL WHITE



NEUTRAL WHITE

WARM WHITE

AMBER

BLUE

GREEN

PINK

RED


WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW/AM/BL/GR/PN/RE	Ø 82x26	Ø 55	100	190	40
6W	CW/NW/WW/AM/BL/GR/PN/RE	Ø 110x26	Ø 71	100	275	40
12W	CW/NW/WW	Ø 129X30	Ø 100	100	425	20

*6500K/CW

The SlimGlo LED Junction Box is a versatile and energy efficient downlight suitable for diverse applications. Its straight forward installation ensures an ideal ambiance for every occasion.



LED DEEP DRAW 2X2 PANEL



LED DEEP DRAW 2x2 PANEL

36W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- 2x2 LED panel having CRCA body
- High quality PMMA diffuser and HRF driver
- Warm white available on request
- Easy to install



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
36W (With Clamps)	CW/NW/WW	Ø 595x595x35	Ø 580x580	100	2700	4
36W (Without Clamps)	CW/NW/WW	Ø 595x595x35	Ø 580x580	100	2700	2

*6500K/CW

Product also available with clamps.



SCINTILLATE STRIKER



SCINTILLATE STRIKER

3W/6W

COOL WHITE/WARM WHITE/BLUE/RED/PINK/GREEN

Add a touch of drama by creating a space of visual interest. Adorn your cabinets with beautiful colors of light with Scintillate Striker.

FEATURES :

- Energy-saving surface light suitable for indoor applications like cabinets, shelves and wardrobes



COOL WHITE

WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/WW/BL/GR/PN/RE	Ø 68x16	NA	NA	200	100
6W	CW/WW/BL/GR/PN/RE	Ø 88.64x16	NA	NA	300	100

*6500K/CW



LED DEEP DOWNLIGHT



LED DEEP DOWNLIGHT

10W/20W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/3-IN-1

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free
- THD < 20%



Offering bright, focused lighting with a sleek, recessed design. Perfect for high ceilings or spaces needing even light, it reduces glare while providing clear illumination. With energy efficient LED technology, these lights are long-lasting and help save power.



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
10W	CW/NW/WW	∅ 119x54	∅ 109	90	695	20
10W	CW-NW-WW(3-IN-1)	∅ 119x54	∅ 109	75	795	20
20W	CW/NW/WW	∅ 151x62	∅ 141	90	1095	10
20W	CW-NW-WW(3-IN-1)	∅ 151x62	∅ 141	80	1195	10

*6500K/CW



DUAL COLOR LED ADJUSTABLE PANEL



DUAL COLOR LED ADJUSTABLE PANEL

8W/12W

COOL WHITE+AMBER/GREEN/ICE BLUE/PINK/RGB

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
8W	CW+AM/GR/IB/PN/RGB	∅ 110x32	∅ 60-80	80	895	20
12W	CW+AM/GR/IB/PN/RGB	∅ 170x32	∅ 75-130	90	1295	20

*6500K/CW



SLIM RECESS PANEL




SLIM RECESS PANEL

5W/10W/15W/20W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Recess mounting slim LED panel
- Polycarbonate body and high quality diffuser



The Slim Recess Panel offers a modern, minimalist design that fits seamlessly into any ceiling. Its slim profile ensures a clean look while delivering bright, uniform light. Ideal for any spaces, this energy efficient panel provides enhance illumination making it a perfect choice for contemporary interiors.

WATTS:	COLOUR TEMP	DIMENSION RD/SQ: LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
5W	CW/NW/WW	∅ 95/95x95x25	∅ 85/85x85	80	425	20
10W	CW/NW/WW	∅ 130/130x130x26	∅ 110/110x110	80	625	20
15W	CW/NW/WW	∅ 145/145x145x26	∅ 120/120x120	80	825	20
20W	CW/NW/WW	∅ 184/184x184x30	∅ 155/155x155	80	1225	20

*6500K/CW



PROFILE LED PANEL




PROFILE LED PANEL

15W
COOL-NEUTRAL-WARM WHITE(3-IN-1)

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free



The Profile LED Panel offers a versatile lighting option with a simple on/off switch that allows you to choose between three colors - cool, neutral and warm light. Its slim design and energy efficient LED technology provide bright, even illumination for any space, it gives you the flexibility to create the perfect atmosphere with ease.

WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
15W	CW-NW-WW	Ø 168/168x168x27	Ø 156/156x156	70	895	20

*6500K/CW



DUAL COLOR LED JB DOWNLIGHT



DUAL COLOR LED JB DOWNLIGHT

6W/12W

COOL WHITE+WARM WHITE/BLUE/PINK/RGB

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free



Height



Cutout



WHITE + BLUE



WHITE + PINK



WHITE + WARM WHITE



WHITE + RGB



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
6W	CW+WW/BL/PN/RGB	Ø 85x44	Ø 50	90	395	40
12W	CW+WW/BL/PN/RGB	Ø 130x70	Ø 60 Large Cap Ø 40 Small Cap	80	695	20

*6500K/CW

Brighten up your space with the Dual Colour LED JB Downlight, offering a range of colours. With easy control to switch between colours, this downlight lets you set the perfect mood for any occasion. It combines stylish design with energy efficient performance, providing durability and dynamic illumination.



Burning Hours



Beam Angle



Sleek Design



Surge Protection



Power Factor > 0.5



Variety of Colors

SCINTILLATE PC MINI INTEGRAL DOWNLIGHT



SCINTILLATE PC MINI INTEGRAL DOWNLIGHT

3W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/RED/GREEN
BLUE/PINK

FEATURES :

- Instant start
- Energy efficient
- Easy to install



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/WW/NW/RE/GR/BL/PN	Ø 80x45	Ø 45	70	320	50
3W (LH)	CW/WW/NW/RE/GR/BL/PN	Ø 80x35	Ø 45	70	300	50

*6500K/CW

With their consistent design & harmonius appearance, Integral series provide homogenous light patterns in varied colors as per requirement. A perfect choice for commercial spaces!



SCINTILLATE 3-IN-1/RBP
MINI INTEGRAL DOWNLIGHT



SCINTILLATE 3-IN-1/RBP MINI INTEGRAL DOWNLIGHT

3W

COOL-NEUTRAL-WARM WHITE(3-IN-1)

RED-BLUE-PINK(3-IN-1)

FEATURES :

- Recess mounting 3-in-1/RBP LED downlight
- Colours can be changed through on/off switch
- Energy efficient



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW-NW-WW(3-IN-1)	Ø 80x45	Ø 47	45	425	50
3W	RBP(3-IN-1)	Ø 80x45	Ø 47	45	425	50

*6500K/CW

The exceptional choice for homogenous light patterns and colors of your desire. Experience captivating aesthetics as they seamlessly blend in your spaces.



SCINTILLATE INTEGRAL DOWNLIGHT



SCINTILLATE INTEGRAL DOWNLIGHT

5W – COOL WHITE/NEUTRAL WHITE/WARM WHITE
RED/GREEN/BLUE/PINK

7W/9W – COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Recess mounting LED downlight with plastic body
- Energy efficient
- Easy to install



Elevate the elegance of your space with exquisite colors of light. Embrace the mesmerizing visual charm created to redefine the ambiance of your space.

WATTS	COLOUR TEMP	DIMENSION RD/SQ: LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
5W	CW/WW/NW/RE/GR/BL/PN	∅ 108x60	∅ 80	75	395	20
7W	CW/WW/NW	∅ 108x60	∅ 80	75	545	20
9W	CW/WW/NW	∅ 108x60	∅ 80	75	645	20

*6500K/CW



Burning
Hours



Beam
Angle



Surge
Protection



CRI



Power
Factor



Inbuilt
Driver



Variety of
Colors

SCINTILLATE SLIM INTEGRAL DOWNLIGHT



SCINTILLATE SLIM INTEGRAL DOWNLIGHT

5W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/BLUE/PINK
RED/GREEN

FEATURES :

- Recess mounting slim LED downlight with PC body
- Energy efficient
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
5W	CW/NW/WW/BL/PN/RE/GR	Ø 110x35	Ø 70	75	395	20

*6500K/CW

Renowned to charm with their visual allure, these lights breathe life into the atmosphere of any room. With their cohesive design and elegance, they prove to be the ideal choice for any setting.



SCINTILLATE DEEP INTEGRAL DOWNLIGHT



SCINTILLATE DEEP INTEGRAL DOWNLIGHT

7W/12W/15W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/RED/GREEN/BLUE

With their consistent design & harmonius appearance, Integral series provide homogenous light patterns in varied colors as per requirement. A perfect choice for commercial spaces!

FEATURES :

- Recess mounting LED downlight with plastic body
- Energy efficient
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
7W	CW/NW/WW/RE/GR/BL	Ø 83x67	Ø 45	100	350	50
12W	CW/NW/WW/RE/GR	Ø 140x67	Ø 46	100	650	20
15W	CW/NW/WW/RE/GR	Ø 140x67	Ø 46	100	750	20

*6500K/CW







LED COB & SPOT LIGHTS

Polycab LED COB Lights not only put the spotlight on your décor, but they also stand out as objects of desire on their own. With their classic designs which incorporate the best technology and lighting efficiency, they can be fixed or removed with a simple twist. Swivel angles, rugged built and with a highly durable body, these lights are perfect choices for subtly focussing just the right amount of light wherever you require!

PEARL COB SWIVEL DOWNLIGHT



PEARL COB SWIVEL DOWNLIGHT

3W/6W/9W/12W/15W/18W/24W/36W
COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Recess mounting swivel LED downlight
- PC diffuser and aluminium heat sink



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	CUT-OUT SIZE(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW	Ø 65x40	Ø 58	80	700	20
6W	CW/NW/WW	Ø 88x45	Ø 75	85	900	20
9W	CW/NW/WW	Ø 107x55	Ø 95	85	1350	20
12W	CW/NW/WW	Ø 107x55	Ø 95	90	1800	20
15W	CW/NW/WW	Ø 130x75	Ø 115	90	2250	10
18W	CW/NW/WW	Ø 130x75	Ø 115	90	2700	10
24W	CW/NW/WW	Ø 147x72	Ø 135	100	3600	10
36W	CW/NW/WW	Ø 160x120	Ø 145	100	4800	10

*6500K/CW



Burning Hours



CRI



Surge Protection



Beam Angle



External Driver

PEARL LED SWIVEL SPOT



PEARL LED SWIVEL SPOT

3W/6W/9W/12W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/3-IN-1

FEATURES :

- Recess mounting swivel LED spot with PC body
- Energy efficient
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free



Dimensions



Cutout

Accentuate your decor beautifully. Choose from a variety of wattages as per your requirement. A narrow beam that can be seamlessly moved at a desired angle puts the spot exactly where you need!



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	CUT-OUT SIZE(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW	Ø 74.8x43	Ø 55	75	390	20
6W	CW/NW/WW	Ø 94.6x46	Ø 67	80	490	20
NEW 6W	CW-NW-WW(3-IN-1)	Ø 117x55	Ø 92	75	650	20
9W	CW/NW/WW	Ø 117x55	Ø 92	80	690	20
12W	CW/NW/WW	Ø 139.2x60	Ø 115	80	890	20

*6500K/CW



Burning
Hours



CRI



Surge
Protection



Beam
Angle



Inbuilt
Driver



PEARL LED NXT-G SPOT



PEARL LED NXT-G SPOT

2W
COOL WHITE/WARM WHITE/BLUE/RED/GREEN

Transform your space by accentuating the striking pieces of art with spot lights. Beautifully crafted to offer focussed lighting in 5 colors, these blend easily with all types of surfaces.

FEATURES :

- Recess mounting PC LED spot light in aluminium housing and round polycarbonate outer RIM



● COOL WHITE | ● WARM WHITE | ● BLUE | ● RED | ● GREEN



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	CUT-OUT SIZE(mm)	LM/W*	MRP ₹	CASE LOT
2W	CW/WW/BL/RE/GR	Ø 42x15	Ø 35	50	150	50

*6500K/CW



TILTABLE JB COB DOWNLIGHT



TILTABLE JB COB DOWNLIGHT

3W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/BLUE/PINK

COOL-NEUTRAL-WARM WHITE(3-IN-1)

RED-BLUE-PINK(3-IN-1)

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free



WATTS	COLOUR TEMP	DIMENSION RD/SQ LxWxH(mm)	CUT OUT RD/SQ(mm)	LM/W*	MRP ₹	CASE LOT
3W	CW/NW/WW/BL/PN	Ø 90x43x90	Ø 55	70	295	50
3W	CW-NW-WW(3-IN-1)	Ø 90x43x90	Ø 55	70	295	50
3W	RBP(3-IN-1)	Ø 90x43x90	Ø 55	70	395	50

*6500K/cw

Experience the flexibility of the Tiltable JB COB Downlight, designed to direct light exactly where you need it. Perfect for highlighting specific areas or creating accent lighting, it ensures bright, focused illumination giving you complete control over the atmosphere.







LED BULBS

Switch to eco-friendly LED bulbs from Polycab! These bulbs provide brighter illumination than traditional options, last longer, and consume less energy. Available in various wattages, they feature sleek designs and impact-resistant housings, offering both enhanced aesthetics and durability.

Nxt-G LED BULB



Nxt-G LED BULB

3W/5W/7W/9W/12W/15W/18W/23W

COOL WHITE/WARM WHITE

FEATURES :

- Self ballasted retrofit bulb with PBT body & PC diffuser
- Hybrid solution
- Driver efficiency $\geq 85\%$, THD $\leq 20\%$
- Energy efficient

WATTS	COLOUR TEMP	BASE CAP	LM/W*	MRP ₹	CASE LOT
3W	CW/WW	B22/E27	105	120	100
5W	CW/WW	B22/E27	105	130	100
7W	CW/WW	B22/E27	105	140	100
9W	CW/WW	B22/E27	105	150	100
12W	CW/WW	B22/E27	105	275	50
NEW 15W	CW/WW	B22	105	300	50
NEW 18W	CW/WW	B22	105	400	20
NEW 23W	CW/WW	B22	105	500	20

*6500K/CW

Discover a striking range of LED bulbs that deliver flawless, spot-free illumination. Perfect for any lighting fixture, they bring a touch of sophisticated opulence to your home. These bulbs provide both style and functionality, enhancing the ambiance of every room.





AELIUS LED T-LAMP

AELIUS LED T-LAMP

15W/18W/20W/23W/30W/40W/50W/60W
COOL WHITE/WARM WHITE

FEATURES :

- Hybrid technology high wattage bulb
- Driver efficiency >=90%
- THD <=20%

Enhance your business space with the highly luminous LED T-Lamp. Designed to provide exceptional brightness, it not only boosts functionality but also adds a touch of elegance to your environment. With its sleek design and energy efficient performance, it elevates the aesthetic appeal of your space, creating a professional yet inviting atmosphere.



WATTS	COLOUR TEMP	BASE CAP	LM/W*	MRP ₹	CASE LOT
15W	CW/WW	B22	105	350	20
18W	CW/WW	B22	105	425	20
20W	CW/WW	B22	105	500	20
23W	CW/WW	B22	105	600	20
30W	CW/WW	B22	105	750	10
40W	CW/WW	B22	100	900	10
50W	CW/WW	B22	100	1050	10
60W	CW/WW	B22	100	1200	6

*6500k/cw



Burning Hours



CRI



Surge Protection



Beam Angle



Power Factor



Protection

DIMMABLE EMERGENCY LED BULB



DIMMABLE EMERGENCY LED BULB

9W/12W

COOL WHITE

FEATURES :

- Self-ballasted retrofit bulb with PBT body & PC diffuser providing
- Up to 4 hours battery backup
- Dimming option available for longer battery backup
- THD <=20%

Equipped with a powerful, durable battery, this Emergency LED bulb instantly lights up during power outages, providing reliable backup for up to 4 hours of continuous illumination. For extended use, the dimming option allows the bulb to run for up to 12 hours.



WATTS	COLOUR TEMP	BASE CAP	LM/W	MRP ₹	CASE LOT
9W	CW	B22	100	545	20
12W	CW	B22	100	645	20



Burning Hours



CRI



Surge Protection



Beam Angle



Power Factor



Protection

AELIUS LED PLUG-IN LAMP



AELIUS LED PLUG-IN LAMP

0.5W

COOL WHITE/WARM WHITE/RED/ORANGE/BLUE
YELLOW/GREEN/PINK

FEATURES :

- Self-ballasted PLUG-IN bulb with PBT body & PC diffuser
- Instant start
- Multiple color options
- Easy plug-in 2 pin socket
- Low power consumption, all night lamp



COOL
WHITE

WARM
WHITE

RED

BLUE

YELLOW

GREEN

PINK



ORANGE

WATTS	COLOUR TEMP	BASE CAP	MRP ₹	CASE LOT
0.5W	CW/WW/RE/OG/BL/Y/GN/PN	PLUG-IN	120	48



Burning
Hours



Beam
Angle



Surge
Protection



Variety of
Colors

AELIUS LED DECO LAMP



AELIUS LED DECO LAMP

0.5W

COOL WHITE/WARM WHITE/RED/YELLOW/BLUE/GREEN
PINK/ORANGE/MULTI-COLOUR

FEATURES :

- Self-ballasted auto color changing retrofit bulb
- Hybrid technology multiple color options uses lesser energy
- Instant start



MULTI COLOUR COOL WHITE WARM WHITE RED PINK BLUE GREEN ORANGE



YELLOW

WATTS	COLOUR TEMP	BASE CAP	MRP ₹	CASE LOT
0.5W	CW/WW/RE/Y/BL/GN/PN/OG	B22	50	48
0.5W	MULTI-COLOUR	B22	99	50



Beam Angle



Surge Protection



Instant Start



Protection



Variety of Colors

Elevate your living space with a vibrant splash of colour! Transform your home with a range of captivating hues, adding the perfect touch of elegance and sophistication. Whether you prefer warm, inviting tones or cool, modern shades, these lights bring both beauty and versatility to any room.

Nxt-G LED CANDLE BULB



Nxt-G LED CANDLE BULB

4.5W
WARM WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature range 10°C to 45°C
- Wide spread of light to cover maximum area

Enhance your space with a sleek, elegant design that adds a sophisticated touch. Perfect for chandeliers and decorative fixtures, it delivers a soft, warm glow while being energy efficient and long-lasting. Ideal for both residential and commercial use, it combines style with functionality, providing a reliable lighting solution that enhances the aesthetic appeal of any room.



WATTS	COLOUR TEMP	HOLDER TYPE	DIMENSION LxWxH (mm)	LM/W	MRP ₹	CASE LOT
4.5W	WW	E 14	35x103	90	195	50
4.5W	WW	E 27	35x104	90	195	50



Burning Hours



CRI



Surge Protection



Beam Angle



Power Factor



Protection



Instant Start





LED BATTENS

Ideal solution for versatile lighting, from bright illumination to softer ambient light. Its light weight design ensures easy handling and hassle-free installation, perfect for both residential and commercial spaces. With energy-efficient performance, this LED Batten provides reliable lighting that adapts to any environment. The sleek, modern design enhances any space, combining functionality with style.

INTENSO NEO+ SLIM BATTEN



INTENSO NEO+ SLIM BATTEN

8W/12W/20W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Self ballasted slim LED batten
- PC housing and diffuser in square shape
- Energy efficient

A beautifully designed LED Batten that seamlessly complements any decor. This low-maintenance solution delivers high luminosity while ensuring exceptional energy efficiency and durability. Perfect for enhancing both style and functionality in any space.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
8W	CW/NW/WW	277x22.35x30	100	260	20
12W	CW/NW/WW	577x22.35x30	100	290	20
20W	CW/NW/WW	1095x22.35x30	100	320	30

*6500k/cw



Burning Hours



CRI



Surge Protection



Beam Angle



Power Factor



Protection

INTENSO 3-IN-1 BATTEN



INTENSO 3-IN-1 BATTEN

20W

COOL-NEUTRAL-WARM WHITE(3-IN-1)

FEATURES :

- Self-ballasted slim LED batten
- CCTs can be changed by click of on/off switch
- Instant start

3-IN-1 LED Batten that transforms the ambience of your room to match your mood. With three beautiful shades of white, it effortlessly enhances your space, adapting perfectly to the changing light of the day.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
20W	CW-NW-WW	1130x23x37	100	625	30

*6500K/CW

INTENSO HIGH WATTAGE BATTEN



INTENSO HIGH WATTAGE BATTEN

24W/30W/36W/40W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- Integrated constant current driver
- Wide shape of diffuser to ensure maximum coverage
- No harmful UV/IR radiation and mercury free

Experience the elegance of our LED Batten, thoughtfully designed to complement any décor. Enjoy a maintenance-free solution that delivers exceptional luminosity, energy efficiency, and long-lasting durability, enhancing your space with effortless style.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
24W	CW/NW/WW	1130x23x37	100	750	20
30W	CW/NW/WW	1180x32x36.5	100	725	20
NEW 36W	CW/NW/WW	1180x32x36.5	100	1045	20
40W	CW/NW/WW	1180x23x37	100	960	20

*6500K/CW



Burning Hours



CRI



Surge Protection



Beam Angle



Power Factor



Protection

NEO SLIM BATTEN



NEO SLIM BATTEN

20W (2 FT)

COOL WHITE/WARM WHITE/NEUTRAL WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- Integrated constant current driver
- Operating temperature range -10°C to 45°C
- Diffuser round shape ensure maximum coverage
- No harmful UV/IR radiation and mercury free

The NEO Slim Batten features a sleek, slim design that adds a touch of elegance to any space. More energy efficient than conventional lighting, it helps reduce electricity bills while providing superior performance.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	LM/W*	MRP ₹	CASE LOT
20W (2 FT)	CW/NW/WW	595x24x33	100	250	20

*6500K/CW



Burning Hours



CRI



Surge Protection






Beam Angle



Power Factor



Protection





LED ROPE & STRIP LIGHTS

Offering a range of stylish and energy-efficient lighting solutions, which enhances both indoor and outdoor spaces. From vibrant LED Rope Lights and versatile LED Strip Lights to sleek Zuro COB Strips, each option creates a modern, dynamic ambiance. Available in various colours, they provide long-lasting, efficient illumination for any setting. Paired with reliable LED Drivers, installation is easy and performance is guaranteed. Ideal for both residential and commercial use, it will transform your space with vibrant and elegant lighting.

LED ROPE LIGHTS



LED ROPE LIGHTS

60 LED/M – 45 MTR

120 LED/M – 20/45/50 MTR

COOL WHITE/NEUTRAL WHITE/WARM WHITE/RED/ICE BLUE

GREEN/PINK/AMBER/BLUE

FEATURES :

- Flexible LED rope light
- Non-dimmable
- Instant start



LED Rope Lights combine sleek design with vibrant colours to brighten any space. They offer stylish illumination for both indoor and outdoor use. It provides efficient lighting while enhancing your home and outdoor spaces. Perfect for adding a modern touch to any setting.

NOW IN
20
METER ROLL
ALSO



WATTS	MTR	COLOUR TEMP	DIMENSION (mm)	LM/W*	MRP ₹	CASE LOT
NEW 200 (120 LED)	20	CW/WW/NW/RE/IB/GN/PN/AM/BL	11x6	60	4500	4
360 (60 LED)	45	CW/WW/NW/RE/GN/PN/BL	11x6	60	8000	1
NEW 360 (120 LED)	45	CW/WW/NW/RE/IB/GN/PN/AM/BL	11x6	60	9995	1
400 (120 LED)	50	CW/WW/NW/RE/GN/PN/BL	11x6	60	9500	1
RECTIFIER	NA	NA	NA	NA	270	20

*3000K/WW

EXTRA ROPE LIGHT RECTIFIER TO BE ORDERED SEPARATELY (LAC0202011).



Burning Hours



CRl



Surge Protection



Beam Angle



Power Factor



Waterproof

LED STRIP LIGHTS



LED STRIP LIGHTS

60 LED/M, 120 LED/M, 240 LED/M – 5 MTR
 COOL WHITE/NEUTRAL WHITE/WARM WHITE/RED/GREEN/BLUE

Modern and stylish lighting option, available in various colours to suit any home. Their sleek design makes them perfect for enhancing your space. With the latest technology, they offer an efficient and eye-catching way to light up your indoor and outdoor space.

FEATURES :

- More illuminating area for better optical performance
- Operating temperature -10°C to 45°C
- No flickering, instant start
- Safe and reliable

● ● ● ● ● ●
 COOL WHITE | NATURAL WHITE | WARM WHITE | BLUE | GREEN | RED



WATTS	COLOUR TEMP	DIMENSION (mm)	LM/W*	MRP ₹	CASE LOT
30 (60 LED)	CW/NW/WW/BL/GR/RE	5 mtr/8x1.3	85	700	10
60 (120 LED)	CW/NW/WW/BL/GR/RE	5 mtr/8x1.3	90	1680	10
NEW 60 (240 LED)	NW/WW	5 mtr/10x1.4	90	1900	40

*6500k/cw

Recommended to use with POLYCAB LED DRIVER 5A 12V DC (60 LED : LAC0202010 | 120/240 LED : LP10011205). DRIVER TO BE ORDERED SEPARATELY.



Burning Hours



CRI



Protection



5 Meter Roll

ZURO COB STRIP LIGHT



ZURO COB STRIP LIGHT


320 LED/M – 5 MTR

COOL WHITE/NEUTRAL WHITE/WARM WHITE/RED
ICE BLUE/GREEN/PINK/AMBER/BLUE

Illuminate your space with sleek, modern LED strip lights, available in a wide range of colours, these versatile strips offer a dynamic lighting solution for both indoor and outdoor settings. Whether you're looking to create a vibrant ambiance or a subtle, ambient glow, these LED strip lights are the perfect choice to light up your home with flair.

FEATURES :

- Uniform illumination for better optical performance
- Operating temperature 0°C to 45°C
- No flickering, instant start
- Safe and reliable



WATTS	COLOUR TEMP	DIMENSION (mm)	LM/W*	MRP ₹	CASE LOT
45(320 LED)	CW/NW/WW/RE/IB/GN/PN/AM/BL	5 mtr/8x1.64	100	1995	50

*6500k/cw

Recommended to be used with POLYCAB LED DRIVER 3A 24V DC (LP13012403).



LED STRIP LIGHT DRIVER



LED STRIP LIGHT DRIVER


24V - 3Amp

12V - 2/5/10Amp

FEATURES :

- Aluminium body
- Flickering free, No humming, instant start
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- Class 1 product electrical safety
- Constant voltage type design

It offers exceptional performance, durability, and a long lifespan. With easy installation and low maintenance costs, it ensures reliable lighting for years. Enjoy robust, energy-efficient solutions for all your lighting needs. Perfect for both residential and commercial applications.



WATTS	DRIVER	DIMENSION LxWxH(mm)	MRP ₹	CASE LOT
24	12V - 2A IP20	104x35x31	600	10
NEW 72	24V - 3A IP20	130x50x26	1295	20
NEW 60	12V - 5A IP20	150x53x21	595	50
NEW 120	12V - 10A IP20	225x53x21	995	20

Recommended to use with POLYCAB LED STRIP LIGHT.



Burning
Hours




Surge
Protection



Protection



Power
Factor





LED OUTDOOR LIGHTS

Transform your outdoor spaces into exquisite experiences. Whether it's street lighting, pathways, or outdoor parking areas, these lights are engineered to illuminate even the darkest corners with exceptional clarity. They provide bright, energy efficient illumination while ensuring durability in all weather conditions. Built to withstand the harshest elements with durability and reliability, making them the perfect choice for a wide range of outdoor applications. Illuminate your world with confidence and style!

AGLOW LED STREET LIGHT



AGLOW LED STREET LIGHT

24W/36W/50W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free
- THD < 15%

Transform your outdoor spaces with Aglow LED Street Light, designed for powerful and consistent illumination. With IP65 water resistance, it withstands all weather conditions. Ideal for year-round use, ensuring durability and consistent brightness. Enhance safety and visibility in any environment with ease.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	POLE DIA (mm)	LM/W*	MRP ₹	CASE LOT
24W	CW/NW/WW	272x120x57	∅ 40	100	1145	12
36W	CW/NW/WW	310x136x57	∅ 40	100	1345	8
50W	CW/NW/WW	351x170x57	∅ 40	100	1545	4

*6500K/cw



Burning
Hours



CRI



Surge
Protection



Beam
Angle



Power
Factor

EMBLAZE LED STREET LIGHT



EMBLAZE LED STREET LIGHT

24W/36W/50W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free
- THD < 15%

Transform your urban landscape with powerful and effective lighting. Built with a sturdy fixture and IP65 water resistance, it stands strong in all weather conditions. Ideal for outdoor spaces, it ensures durability and consistent brightness. Perfect for year-round illumination.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	POLE DIA(mm)	LM/W*	MRP ₹	CASE LOT
24W	CW/NW/WW	325x87x105	Ø 40	100	995	12
36W	CW/NW/WW	345x87x105	Ø 40	100	1295	8
50W	CW/NW/WW	660x100x105	Ø 40	100	1495	4

*6500K/cw



GLEER LED FLOOD LIGHT



GLEER LED FLOOD LIGHT

30W/50W/100W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free
- THD < 15%

Sleek design meets high durability, this light provides perfect illumination. Its IP66 weatherproof rating and 4.0 kV surge protection ensure reliable performance in harsh conditions, making it ideal for both residential and commercial use year-round.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	POLE DIA (mm)	LM/W*	MRP ₹	CASE LOT
30W	CW/NW/WW	185x215x42	NA	100	1650	8
50W	CW/NW/WW	185x215x42	NA	100	2150	8
100W	CW/NW/WW	265x278x42	NA	100	3850	4

*6500K/cw



GLEER NEO LED FLOOD LIGHT



GLEER NEO LED FLOOD LIGHT

30W/50W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free
- THD < 30%

Illuminate your space with high-performance LED flood light, designed for maximum brightness and durability. Featuring IP66 water-resistant technology, it withstands even the harshest weather conditions, providing reliable lighting that lasts through the seasons.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	POLE DIA(mm)	LM/W*	MRP ₹	CASE LOT
30W	CW/NW/WW	167x130x26	NA	100	1600	20
50W	CW/NW/WW	226x167x26	NA	100	2100	10

*6500K/cw



VIGARO CLEAR LED GATE LIGHT



VIGARO CLEAR LED GATE LIGHT

20W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free
- THD < 15%

The Vigaro Clear LED Gate Light, made of high-grade polycarbonate, IP65 waterproof-tested and 360-degree beam angle provides perfect illumination for home gates or compounds, enhancing your home's appearance.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	POLE DIA(mm)	LM/W*	MRP ₹	CASE LOT
20W	CW/NW/WW	175x175x 225	Ø 40	70	2495	4

*6500K/cw



VIGARO OPAL LED GATE LIGHT



VIGARO OPAL LED GATE LIGHT

24W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- Optimized LED orientation for better light distribution
- High efficiency thermal design for better heat dissipation
- Operating temperature -10°C to 45°C
- No harmful UV/IR radiation and mercury free
- THD < 15%

Illuminate your entrance with style and durability. Featuring IP65 water resistance and a 360-degree beam angle, this LED gate light offers reliable, radiant lighting that enhances both beauty and functionality in any weather.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	POLE DIA(mm)	LM/W*	MRP ₹	CASE LOT
24W	CW/NW/WW	166x166x260	Ø 40	70	1995	4

*8500K/cw



Burning Hours



CRI



Surge Protection



Beam Angle



Power Factor

VIGARO GATE LIGHT FIXTURE



VIGARO GATE LIGHT FIXTURE

VIGARO Gate Light Fixture comes with B22 holder

FEATURES :

- Top openable with rotational locking
- Ambient operating temperature (Ta) 45°C
- Easy Installation.

The Vigaro Gate Light Fixture combines durability and elegance for outdoor spaces. With a 360-degree beam angle, it provides an even, broad glow to enhance both visibility and aesthetics. Suitable up to a 25W LED bulb and it offers flexibility to customize lighting with any LED color.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	POLE DIA(mm)	LM/W	MRP ₹	CASE LOT
B22	NA	232x232x317	Ø 40	NA	1299	4

LED BULKHEAD



LED BULKHEAD

10W/20W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

FEATURES :

- More illuminating area for better optical performance
- Optimized LED orientation for better light distribution
- Operating temperature -10°C to 45°C
- Wide spread of light to cover maximum area
- Instant start, No flickering, No humming, Safe and reliable

Solid choice for durability with 120-degree beam angle for wide coverage and are built to withstand dust and water with an IP65 protection making them perfect for outdoor use.



WATTS	COLOUR TEMP	DIMENSION LxWxH(mm)	POLE DIA(mm)	LM/W*	MRP ₹	CASE LOT
10W	CW/NW/WW	170x68x46	NA	90	450	20
20W	CW/NW/WW	210x97x57	NA	100	795	20

*6500K/cw



POLYCAB

Corporate Office:

POLYCAB INDIA LIMITED

#29, The Ruby, 21st Floor, Senapati Bapat Marg,

Tulsi Pipe Road, Dadar (West),

Mumbai - 400 028, Maharashtra (India)

Ph.: +91-22-2432 7070/4, 6735 1400

Email: enquiry@polycab.com, Toll Free No.: 1800 267 0008

Follow us on: [f](#) [X](#) [in](#) [@](#) [v](#)

Website: www.polycab.com

Disclaimer - Product Images are for representational purposes only. While every effort has been taken to ensure that all product descriptions, specifications and images are correct, this catalogue should not be considered as the ultimate guide due to variables in production process. As per standards IS 374 & IS 302, there can be tolerance 10% on Wattage and illumination.